

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8402.90.0010	Product Specific	Heat exchangers, the foregoing comprising parts of goods of heading 8402 and each fitted for heat recovery steam generator (described in statistical reporting number 8402.90.0010)	7/8/2019
8402.90.0090	Product Specific	Drums, exhaust stacks, and inlet duct panel assemblies of heat recovery steam generators (described in statistical reporting number 8402.90.0090)	7/8/2019
8402.90.0090	Product Specific	Water tanks for steam or other vapor generating boilers (described in statistical reporting number 8402.90.0090)	7/8/2019
8404.40.4000	Product Specific	Speed drive controllers for electric motors, each such controller measuring 100 mm or more but not over 130 mm in length, 40 mm or more but not over 125 mm in width and 24 mm or more but not over 85 mm in height (described in statistical reporting number 8404.40.4000)	6/4/2019
8407.21.0040	Entire Subheading	Spark-ignition Reciprocating Or Rotary Internal Combustion Piston Engines For Marine Propulsion, Outboard Motors Less Than 22.38 Kw	5/9/2019
8407.21.0080	Product Specific	Spark-ignition engines for marine propulsion, outboard, each rated at not less than 29.83 kW but not more than 44.74 kW (described in statistical reporting number 8407.21.0080)	12/28/2018
8408.90.9010	Product Specific	Compression-ignition engines with maximum power exceeding 50 kW but not exceeding 120 kW, each valued over \$6,000 but not over \$9,500 per unit (described in statistical reporting number 8408.90.9010)	7/8/2019
8408.90.9020	Product Specific	Compression-ignition engines, exceeding 149.2 kW but not exceeding 373 kW and valued over \$9,800 but not over \$12,000 (described in statistical reporting number 8408.90.9020)	7/8/2019
8411.99.9085	Product Specific	Parts of nonaircraft gas turbines, other than rotors, spindles, rotor assemblies, spindle assemblies or steel forgings (described in statistical reporting number 8411.99.9085)	6/4/2019
8411.99.9090	Product Specific	Aircraft gas turbine compressor cases of steel and Inconel alloy, each valued over \$3,000 but not over \$4,000 (described in statistical reporting number 8411.99.9090)	7/8/2019
8411.99.9090	Product Specific	Engine stationary seal air supports of Inconel alloy, each measuring over 35 cm but not over 35.5 cm in outer diameter and over 3.5 cm but not over 4 cm in width (described in statistical reporting number 8411.99.9090)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8412.21.0030	Product Specific	Welded hydraulic linear acting (cylinders) engines and motors, each with piston bore of 12.7 mm or more but not over 254 mm, with stroke not over 11.43 m, overall length not over 15.24 m and rod diameter not over 1.219 (described in statistical reporting number 8412.21.0030)	12/28/2018
8412.21.0045	Entire Subheading	Linear acting hydraulic motors with telescoping type cylinders	3/20/2019
8412.21.0075	Entire Subheading	Linear acting hydraulic motors (cylinder), others	12/28/2018
8412.39.0080	Product Specific	Direct acting and spring return pneumatic actuators, each rated at a maximum pressure of 10 bar and valued over \$68 but not over \$72 per unit (described in statistical reporting number 8412.39.0080)	7/8/2019
8412.80.1000	Product Specific	Spring-operated motors, each valued over \$3,000 but not over \$3,600 (described in statistical reporting number 8412.80.1000)	7/8/2019
8413.19.0000	Product Specific	Pumps designed for countertop appliances for serving beer, the foregoing that control the level of carbonation by means of sonic waves (described in statistical reporting number 8413.19.0000)	4/18/2019
8413.50.0010	Product Specific	Oil well and oil field crank-balanced, long-stroke and beam pumps (described in statistical reporting number 8413.50.0010)	6/4/2019
8413.50.0070	Product Specific	Radial piston hydraulic fluid pumps weighing not over 500 grams (described in statistical reporting number 8413.50.0070)	6/4/2019
8413.60.0030	Product Specific	Gear-type hydraulic fluid power pumps, handheld, battery powered, the foregoing not over 5 cm in width and valued not over \$6 per unit (described in statistical reporting number 8413.60.0030)	7/8/2019
8413.70.2004	Product Specific	Submersible centrifugal pumps, each powered by 36 V motor (described in statistical reporting number 8413.70.2004)	3/20/2019
8413.70.2004	Product Specific	Centrifugal pumps, submersible, designed for use in apparatus for supplying water to pets (described in statistical reporting number 8413.70.2004)	6/4/2019
8413.70.2004	Product Specific	Centrifugal pumps, submersible, other than for use with machines for making cellulosic pulp, paper or paperboard; the foregoing pumps rated not over 1.5 kW (described in statistical reporting number 8413.70.2004)	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8413.70.2004	Product Specific	Submersible dual port pump designed for use in swimming pools (described in statistical reporting number 8413.70.2004)	6/4/2019
8413.70.2004	Product Specific	Submersible pump designed for use in aquariums, not over 325 mm tall (described in statistical reporting number 8413.70.2004)	6/4/2019
8413.70.2004	Product Specific	Submersible pump incorporating a magnetic drive motor (described in statistical reporting number 8413.70.2004)	6/4/2019
8413.70.2004	Product Specific	Submersible pumps, rated not over 1 horsepower, designed for use in pumping raw sewage (described in statistical reporting number 8413.70.2004)	6/4/2019
8413.70.2004	Product Specific	Sump pumps, submersible, rated not over 1 horsepower, activated by float switch (described in statistical reporting number 8413.70.2004)	6/4/2019
8413.70.2005	Product Specific	Centrifugal pumps, not for use with machines for making cellulosic pulp, paper or paperboard, not submersible, the foregoing single-stage, singlesuction, close-coupled and with discharge outlet under 5.1 cm in diameter (described in statistical reporting number 8413.70.2005)	6/4/2019
8413.70.2015	Product Specific	Centrifugal water pumps incorporating thermal cut-offs, each with discharge outlet 5.08 cm or more in diameter, valued over \$66 but not over \$72 per unit (described in statistical reporting number 8413.70.2015)	7/8/2019
8413.70.2090	Product Specific	Centrifugal pumps designed for eliminating condensate, the foregoing not elsewhere specified or included (described in statistical reporting number 8413.70.2090)	6/4/2019
8413.81.0040	Product Specific	Breast pumps, whether or not with accessories or batteries (described in statistical reporting number 8413.81.0040)	3/20/2019
8413.91.9010	Product Specific	Housings for water pumps of subheading 8413.30.90 (as described in subheading 8413.91.9010)	6/4/2019
8413.91.9010	Product Specific	Impellers for water pumps of subheading 8413.30.90 (described in statistical reporting number 8413.91.9010)	6/4/2019
8413.91.9010	Product Specific	Motor vehicle oil pump housings (described in statistical reporting number 8413.91.9010)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8413.91.9060	Product Specific	Hydraulic pump positioning piston assemblies (described in statistical reporting number 8413.91.9060)	6/4/2019
8413.91.9060	Product Specific	Plastic reservoirs for motor vehicle brake master cylinders (described in statistical reporting number 8413.91.9060)	6/4/2019
8413.91.9095	Product Specific	Impellers (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Parts of oil and gas extraction beam pumps, other than hydraulic power pumps (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pedestals of pump assemblies (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump bases, of plastic, designed to protect the pump impellers from obstructions (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump casings and bodies (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump covers (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump expellers (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump grease cups and grease cup adapters (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump liners (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump manifolds (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump parts, of plastics, each valued not over \$3 (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump shaft castings, of steel (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump throatbushes (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Pump volutes (described in statistical reporting number 8413.91.9095)	7/8/2019
8413.91.9095	Product Specific	Structural pump bases, of stainless steel (described in statistical reporting number 8413.91.9095)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8413.91.9095, effective 1/1/19 8413.91.9080, prior to 1/1/19	Product Specific	Impeller housings of cast iron (described in statistical reporting number 8413.91.9095, effective January 1, 2019; described in statistical reporting number 8413.91.9080, effective prior to January 1, 2019)	3/20/2019
8413.91.9095, effective 1/1/19 8413.91.9080, prior to 1/1/19	Product Specific	Impellers of plastic designed for centrifugal pumps, each of the foregoing with outside diameter of 73 mm or more but not more than 74 mm (described in statistical reporting number 8413.91.9095, effective January 1, 2019; described in statistical reporting number 8413.91.9080, effective prior to January 1, 2019)	3/20/2019
8414.30.8030	Product Specific	Compressors, other than screw type, used in air conditioning equipment in motor vehicles, each valued over \$88 but not over \$92 per unit (described in statistical reporting number 8414.30.8030)	7/8/2019
8414.30.8050	Product Specific	Compressors, other than screw type, of a kind used in household refrigerators, air conditioners and heat pumps, rated at more than 1/4 horsepower but not more than 1 horsepower, each valued not over \$150 (described in statistical reporting number 8414.30.8050)	7/8/2019
8414.90.4165	Product Specific	Compressor housings designed for turbochargers (described in statistical reporting number 8414.90.4165)	3/20/2019
8414.90.4190	Product Specific	Airend assemblies, inlet guide vanes, air-ends, compressor baseplates and backplates (described in statistical reporting number 8414.90.4190)	6/4/2019
8418.69.0110	Product Specific	Stand-alone icemaking machines, each having a rated capacity not exceeding 160 kg per day, capable of producing ice in pieces not larger than 40 cubic cm in any dimension (described in statistical reporting number 8418.69.0110)	6/4/2019
8418.69.0120	Entire Subheading	Drinking water coolers, refrigerated, self contained	12/28/2018
8418.69.0180	Product Specific	Assemblies of thermo-electric modules, whether or not presented with attached heat exchangers, fans, shrouds, temperature sensors or controllers (described in statistical reporting number 8418.69.0180)	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8418.69.0180	Product Specific	Coolers, non-compressor, powered by 12 V DC, each with an interior volume not exceeding 17 liters (described in statistical reporting number 8418.69.0180)	6/4/2019
8419.19.0040	Product Specific	Solar water heaters incorporating glass tube heat collectors and including glass tubes and stands with tanks (described in statistical reporting number 8419.19.0040)	6/4/2019
8419.40.0080	Product Specific	Distillation and rectifying equipment designed for use in the production of methylene diphenyl diisocyanate (described in statistical reporting number 8419.40.0080)	6/4/2019
8419.90.2000	Product Specific	Stretchers of stainless steel, designed to move rollers to adjust tension of paper fabric to be dried, each with a pivoting arm with an actuator, linear rail movement with an actuator, and front and back units with mounting holes for tube roll bearing housings (described in statistical reporting number 8419.90.2000)	12/28/2018
8419.90.3000	Product Specific	Heat exchanger plates, cores, finned tubes, cones, shells, bonnets, flanges and baffles (described in statistical reporting number 8419.90.3000)	6/4/2019
8420.10.9080	Product Specific	Roller machines with dies for embossing paper, manually powered (described in statistical reporting number 8420.10.9080)	12/28/2018
8420.10.9080	Product Specific	Roller machines designed for cutting, etching or embossing paper, foil or fabric, manually powered (described in statistical reporting number 8420.10.9080)	4/18/2019
8421.19.0000	Product Specific	Salad spinners of plastics, with capacity of at least 2.4 liters but not more than 3.8 liters (described in statistical reporting number 8421.19.0000)	12/28/2018
8421.19.0000	Product Specific	Salad spinners, of plastics, not electrically powered (described in statistical reporting number 8421.19.0000)	3/20/2019
8421.21.0000	Product Specific	Nonelectric water filtration apparatus consisting of three cylinder-shaped filter cartridges, each measuring 6.35 cm by 26.67 cm, having water storage tank and plastic tubing measuring 0.63 cm or more but not over 0.95 cm, presented with installation kit (described in statistical reporting number 8421.21.0000)	12/28/2018
8421.21.0000	Product Specific	Machinery for filtering water, submersible, powered by batteries, manually operated, such machinery designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	3/20/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8421.21.0000	Product Specific	Machinery designed for removing waste from water in saltwater aquariums by injecting air bubbles then filtering such bubbles (described in statistical reporting number 8421.21.0000)	3/20/2019
8421.21.0000	Product Specific	Electronic water oxidizers designed for purifying water for household washing machines (described in statistical reporting number 8421.21.0000)	3/20/2019
8421.21.0000	Product Specific	Hand-held ultraviolet water purifiers, powered by batteries (described in statistical reporting number 8421.21.0000)	3/20/2019
8421.21.0000	Product Specific	Water oxidizers and chlorinators (described in statistical reporting number 8421.21.0000)	4/18/2019
8421.21.0000	Product Specific	Apparatus, including pitchers, bottles, and units designed for incorporation into refrigerators, appliances or sink faucets, the foregoing fitted with filters for filtering or purifying water (described in statistical reporting number 8421.21.0000)	5/9/2019
8421.21.0000	Product Specific	Filtering apparatus, fitted with pumps, designed for use in pools, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	5/9/2019
8421.21.0000	Product Specific	Filtering or purifying machinery or apparatus of a kind used for waste water treatment (described in statistical reporting number 8421.21.0000)	5/9/2019
8421.21.0000	Product Specific	Submersible machinery for filtering water, designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	5/9/2019
8421.21.0000	Product Specific	Water distillation machinery and apparatus not covered by heading 8419 (described in statistical reporting number 8421.21.0000)	5/9/2019
8421.22.0000	Product Specific	Filters designed to remove sulfites from wine (described in statistical reporting number 8421.22.0000)	3/20/2019
8421.39.8015	Product Specific	Air purification equipment, electrically powered, weighing less than 36 kg (described in statistical reporting number 8421.39.8015)	5/9/2019
8421.39.8015	Product Specific	Dust collection equipment for cement, minerals and mining industries (described in statistical reporting number 8421.39.8015)	5/9/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8421.99.0040	Product Specific	Filter housings, covers, or couplings, the foregoing of steel and comprising parts of machinery or apparatus for filtering liquids (described in statistical reporting number 8421.99.0040)	3/20/2019
8421.99.0080	Product Specific	Cast steel and steel structural forms designed for use in filtering machines, such machines used in mining or manufacturing facilities (described in statistical reporting number 8421.99.0080)	6/4/2019
8421.99.0080	Product Specific	Parts of air filtering machines or apparatus, the foregoing of cast steel and steel (described in statistical reporting number 8421.99.0080)	6/4/2019
8425.39.0100	Product Specific	Winches, each having a winch frame with a corrosion resistant coating and stainless steel mandrel with nylon bushings, operated manually by a worm gear mechanism (described in statistical reporting number 8425.39.0100)	12/28/2018
8425.39.0100	Product Specific	Ratchet winches designed for use with textile fabric strapping (described in statistical reporting number 8425.39.0100)	4/18/2019
8427.10.4000	Entire Subheading	Trucks, Rider-type, Counterbalanced Fork-lift, Self-propelled Powered By An Electric Motor	5/9/2019
8427.10.8090	Product Specific	Self-propelled fork-lift and platform trucks, each powered by an electric motor and controlled by walking operator (described in statistical reporting number 8427.10.8090)	6/4/2019
8427.20.8090	Product Specific	Fork-lift trucks, propane gas powered, having a rated lift capacity over 9.5 metric tons but not exceeding 33 metric tons (described in statistical reporting number 8427.20.8090)	7/8/2019
8428.32.0000	Product Specific	Belt conveyors, each comprising a frame with leveling feet, electric motor and food grade plastic conveyor belt (described in statistical reporting number 8428.33.0000)	12/28/2018
8428.32.0000	Product Specific	Elevators, comprising L-shaped steel buckets bolted to a steel chain, with guide rollers and a drive system (described in statistical reporting number 8428.32.0000)	12/28/2018
8428.33.0000	Product Specific	Belt conveyors, each comprising a welded frame with leveling feet and casters, electric motor and food grade plastic modular conveyor belt (described in statistical reporting number 8428.33.0000)	12/28/2018
8428.33.0000	Product Specific	Continuous action elevators and conveyors, designed to convey mineral materials (described in statistical reporting number 8428.33.0000)	4/18/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8428.33.0000	Product Specific	Apron-type chain conveyor (described in statistical reporting number 8428.39.0000)	5/9/2019
8428.39.0000	Product Specific	Roller conveyors (described in statistical reporting number 8428.39.0000)	5/9/2019
8428.39.0000	Product Specific	Vibrating conveyors (described in statistical reporting number 8428.39.0000)	5/9/2019
8428.39.0000	Product Specific	Steel L-shaped bucket elevators, each comprising steel buckets bolted to a steel chain with guide wires and drive system (described in statistical reporting number 8428.32.0000)	3/20/2019
8428.90.0290	Product Specific	Garage door opener/closers (described in statistical reporting number 8428.90.0290)	6/4/2019
8428.90.0290	Product Specific	Hinged steel transfer machinery, designed for diverting goods from and to conveyor lines (described in statistical reporting number 8428.90.0290)	6/4/2019
8428.90.0290	Product Specific	Rotating bench, electrically powered, designed for turning a workpiece in a production line (described in statistical reporting number 8428.90.0290)	6/4/2019
8428.90.0290	Product Specific	Rotating fork machines, designed for lifting and depositing coiled steel bars in a production line (described in statistical reporting number 8428.90.0290)	6/4/2019
8429.20.0000	Product Specific	Motor grader weighing more than 14 metric tons but not over 21 metric tons (described in statistical reporting number 8429.20.0000)	7/8/2019
8429.40.0020	Product Specific	Vibratory, self-propelled tamping machines, each with drum roller (described in statistical reporting number 8429.40.0020)	6/4/2019
8429.40.0040	Product Specific	Self-propelled pneumatic compactors, each weighing over 14 metric tons but not over 28 metric tons (described in statistical reporting number 8429.40.0040)	7/8/2019
8429.51.1015	Product Specific	New articulated shovel loaders, wheeled, each with 4-wheel drive, rear mounted engine and a bucket capacity of under 1.5 m3, rated at not over 26 horsepower (described in statistical reporting number 8429.51.1015)	7/8/2019
8429.51.1040	Product Specific	Integrated tractor shovel loaders, each with 4 wheel drive, a bucket capacity of at least 3.8 m3 but less than 5.2 m3 and an operating weight of 17.5 metric tons or more but not over 20 metric tons (described in statistical reporting number 8429.51.1040)	7/8/2019
8429.51.1045	Product Specific	Shovel loaders with an operating weight of from 30 metric tons to 36 metric tons (described in statistical reporting number 8429.51.1045)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8429.51.1050	Product Specific	Shovel loaders with an operating weight of from 30 metric tons to 36 metric tons (described in statistical reporting number 8429.51.1050)	7/8/2019
8429.51.5010	Product Specific	Rubber track shovel loaders having a lift capacity not over 375 kg (described in statistical reporting number 8429.51.5010)	7/8/2019
8429.52.1010	Product Specific	New, track-mounted hydraulic backhoes or hydraulic shovels, each with a 360-degree revolving superstructure (described in statistical reporting number 8429.52.1010)	6/4/2019
8430.10.0000	Product Specific	Pile drivers, diesel powered (described in statistical reporting number 8430.10.0000)	6/4/2019
8430.31.0040	Entire Subheading	Rock breaking machines, self-propelled	3/20/2019
8431.10.0010	Product Specific	Grooved wire rope drum valued over \$350 (described in statistical reporting number 8431.10.0010)	7/8/2019
8431.20.0000	Product Specific	Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)	4/18/2019
8431.20.0000	Product Specific	Tines, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)	4/18/2019
8431.31.0040	Product Specific	Escalator drive assemblies consisting of a motor, planetary gear and gearbox (described in statistical reporting number 8431.31.0040)	7/8/2019
8431.31.0040	Product Specific	Escalator steps (described in statistical reporting number 8431.31.0040)	7/8/2019
8431.31.0060	Product Specific	Parts of passenger or freight elevators consisting of any of the following: elevator emergency brake and speed governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies (described in statistical reporting number 8431.31.0060)	7/8/2019
8431.39.0010	Product Specific	Belt conveyor crossmember assemblies (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0010	Product Specific	Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0010	Product Specific	Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0010	Product Specific	Catenary idler stringers (described in statistical reporting number 8431.39.0010)	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8431.39.0010	Product Specific	Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0010	Product Specific	Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0010	Product Specific	Conveyor spill plates (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0010	Product Specific	Welded frames designed to support conveyor rollers (described in statistical reporting number 8431.39.0010)	6/4/2019
8431.39.0070	Product Specific	Counterweights for log handling equipment (described in statistical reporting number 8431.39.0070)	7/8/2019
8431.49.9010	Product Specific	Feed pushers, bale forks, scrapers and frames therefor (described in statistical reporting number 8431.49.9010)	6/4/2019
8431.49.9044	Product Specific	Backhoe counterweights each weighing more than 400 kg but not more than 600 kg (described in statistical reporting number 8431.49.9044)	7/8/2019
8431.49.9044	Product Specific	Excavator crawler shoes (described in statistical reporting number 8431.49.9044)	7/8/2019
8431.49.9095	Product Specific	Vulcanized rubber tracks, each incorporating cords and cleats of steel, designed for use on construction equipment (described in statistical reporting number 8431.49.9095)	3/20/2019
8432.90.0060	Product Specific	Seeder or spreader baffle and baffle assemblies (described in statistical reporting number 8432.90.0060)	7/8/2019
8432.90.0060	Product Specific	Seeder or spreader frames (described in statistical reporting number 8432.90.0060)	7/8/2019
8432.90.0060	Product Specific	Seeder or spreader handles (described in statistical reporting number 8432.90.0060)	7/8/2019
8432.90.0060	Product Specific	Seeder or spreader hopper assemblies (described in statistical reporting number 8432.90.0060)	7/8/2019
8432.90.0060	Product Specific	Seeder or spreader hopper grates (described in statistical reporting number 8432.90.0060)	7/8/2019
8432.90.0060	Product Specific	Seeder or spreader impellers (described in statistical reporting number 8432.90.0060)	7/8/2019
8436.80.0090	Product Specific	Chipper/shredder machines, electrically powered (described in statistical reporting number 8436.80.0090)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8436.80.0090	Product Specific	Chipper/shredder machines, gasoline powered, valued less than \$250 per unit (described in statistical reporting number 8436.80.0090)	7/8/2019
8436.80.0090	Product Specific	Malt production equipment (described in statistical reporting number 8436.80.0090)	7/8/2019
8438.80.0000	Product Specific	Machinery for mixing beverages in single servings for direct human consumption, designed for use in commercial food service establishments (described in statistical reporting number 8438.80.0000)	5/9/2019
8438.80.0000	Product Specific	Machinery for reconstituting single serving beverages for direct human consumption from frozen pre-packaged portions, designed for use in commercial food service establishments (described in statistical reporting number 8438.80.0000)	5/9/2019
8439.91.9000	Product Specific	Rotors designed to agitate paper and water into pulp, of stainless steel, the foregoing comprising parts of machinery for making pulp of fibrous cellulosic materials (described in statistical reporting number 8439.91.9000)	3/20/2019
8439.99.1000	Product Specific	Guards of stainless steel, designed to shield operators of papermaking machines from moving or rotating equipment, each with dimensions ranging from 30 cm by 30 cm by 50 cm to 50 cm by 50 cm by 4 m, weighing 30 kg or more but not over 100 kg (described in statistical reporting number 8439.99.1000)	12/28/2018
8439.99.1000	Product Specific	Scrapers (“doctors”) of stainless steel, designed to scrape impurities from the rotating roll surface of the forming and press sections of papermaking machines, each comprising a beam with a blade of non-symmetrical cross section, long aspect ratio, and mounting journals and turning devices on either end, with dimensions ranging from 50 cm by 50 cm by 8 m to 60 cm by 6 m by 11 m, weighing 1 metric ton or more but not over 3 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018
8439.99.1000	Product Specific	Frameworks of the forming and press section of papermaking machines, of stainless steel or clad mild steel with stainless or acid proof steel, each with dimensions ranging from 1 m by 1 m by 1 m to 2.3 m by 2.3 m by 12 m, weighing 500 kg or more but not over 40 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8439.99.1000	Product Specific	Guides of stainless steel, designed for locating conveyer belts on papermaking machines, each with a moving arm with an actuator and front and back units with mounting holes for tube roll bearing houses, each with dimensions ranging from 40 cm by 50 cm by 30 cm to 1 m by 1 m by 50 cm, weighing 300 kg or more but not over 500 kg (described in statistical reporting number 8439.99.1000)	12/28/2018
8439.99.1000	Product Specific	Rollers of steel and cast iron ("nip rollers") with bearing journals on either end, designed for use in paper manufacturing to mechanically compress paper web to remove water or impart desired mechanical properties in paper web, each with a polymer cover, the foregoing with length of 7 m or more but not over 12 m, with diameter of 1 m or more but not over 1.5 m, weighing 15 metric tons or more but not over 30 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018
8439.99.1000	Product Specific	Open containers ("savealls") of stainless steel, designed to catch water run off generated in the papermaking process, constructed of large square shaped plates and flat constructions with mounting holes on ends, each with dimensions ranging from 50 cm by 50 cm by 50 cm to 1.5 m by 1 m by 10 m, weighing 50 kg or more but not over 2 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018
8439.99.1000	Product Specific	Stretchers of stainless steel, designed to move rollers of papermaking machines to adjust tension of fabric, each with a pivoting arm with an actuator, linear rail movement with an actuator and front and back units with mounting holes for tube roll bearing housings (described in statistical reporting number 8439.99.1000)	12/28/2018
8439.99.1000	Product Specific	Suction boxes of stainless steel, which remove water from paper web or papermaking fabrics during papermaking, each with dimensions ranging from 50 cm by 50 cm by 8 m to 1 m by 1 m by 10 m, weighing 1.5 metric tons or more but not over 2 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8439.99.1000	Product Specific	Rollers of stainless steel or cast iron, designed for use in paper manufacturing to support and convey papermaking cloth (i.e. fabric) or the paper web, each weighing 7 metric tons or more but not over 20 metric tons, measuring 7 m or more but not over 12 m in length, with diameter of 40 cm or more but not over 1.5 m, presented with bearing journals on either end and a polymer cover (described in statistical reporting number 8439.99.1000)	12/28/2018
8455.22.0000	Product Specific	Complete sheet pile rolling mills (described in statistical reporting number 8455.22.0000)	6/4/2019
8455.22.0000	Product Specific	Rolling mills designed to form 4 to 5 ribbed metal panels not exceeding 95 cm wide (described in statistical reporting number 8455.22.0000)	6/4/2019
8458.19.0020	Product Specific	Horizontal lathes, electrically powered not over 1.5 horsepower (described in statistical reporting number 8458.19.0020)	7/8/2019
8466.92.5010	Product Specific	Workstands designed to use with miter saws, each with metal tube frame, 4 metal legs and 2 metal extension arms (described in statistical reporting number 8466.92.5010)	12/28/2018
8466.92.5010	Product Specific	Workstands designed for use with miter saws, each with wheels to make workstand mobile and with sides that fold up to extend the work area (described in statistical reporting number 8466.92.5010)	12/28/2018
8466.93.9885	Product Specific	Parts of drill sharpening machines (described in statistical reporting number 8466.93.9885)	4/18/2019
8471.70.6000	Product Specific	Automated data processing storage units (other than magnetic disk drive units), not assembled in cabinets for placing on a table or similar place, not presented with any other unit of a system (described in statistical reporting number 8471.70.6000)	3/20/2019
8473.40.1000	Entire Subheading	Printed Circuit Assemblies For Automatic Teller Machines Of Subheading 8472.90.10	5/9/2019
8474.90.0010	Product Specific	Feeder and vibratory flow equipment and parts thereof designed for use in screening or sorting machines; housings and noise reduction enclosures; the foregoing described in statistical reporting number 8474.90.0010)	7/8/2019
8479.10.0060	Product Specific	Bituminous pavers, self-propelled, each with a weight exceeding 14.9 metric tons but not exceeding 18.2 metric tons, with working width of 2.4 m or more but not over 8.6 m (described in statistical reporting number 8479.10.0060)	3/20/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8479.30.0000	Product Specific	Press machines for bamboo or other materials of a woody nature (described in statistical reporting number 8479.30.0000)	7/8/2019
8479.81.0000	Product Specific	Electric wire coil-winder machines (described in statistical reporting number 8479.81.0000)	7/8/2019
8479.82.0040	Product Specific	Insulated mixing chambers of stainless steel, each having a capacity of 5 m3 to 25 cubic meters (described in statistical reporting number 8479.82.0040)	7/8/2019
8479.90.9496	Product Specific	Outer shells of hydraulic accumulators, of iron or non-alloy steel, cylindrical with hemispherical heads on each end (described in statistical reporting number 8479.90.9496)	4/18/2019
8479.90.9496	Product Specific	Parts of mechanical awnings and shades (described in statistical reporting number 8479.90.9496)	4/18/2019
8479.90.9496	Product Specific	Reject doors, pin protectors, liners, front walls, grates, hammers, rotor and end disc caps, and anvil and breaker bars, of iron or steel, the foregoing parts of metal shredders (described in statistical reporting number 8479.90.9496)	4/18/2019
8479.90.9496	Product Specific	Steering wheels designed for watercraft, of stainless steel, having a wheel diameter exceeding 27 cm but not exceeding 78 cm (described in statistical reporting number 8479.90.9496)	4/18/2019
8480.71.8045	Entire Subheading	Injection type molds for rubber or plastics, others	12/28/2018
8481.10.0090	Product Specific	Pressure regulators of brass or bronze, whether high or low inlet type, having a rated flow rate of 55,000 - 150,000 BTU/hr, maximum inlet pressure of 0.17 MPa to 1. 72 MPa, inlet connection with POL or thread type of fitting (described in statistical reporting number 8481.10.0090)	4/18/2019
8481.10.0090	Entire Subheading	Pressure-reducing Valves, Others	5/9/2019
8481.30.2090	Product Specific	Check valves of steel having an internal diameter not less than 4.8 cm or exceeding 62.5 cm (described in statistical reporting number 8481.30.2090)	7/8/2019
8481.30.9000	Product Specific	Check valves, of acrylonitrile butadiene styrene (ABS), each weighing 120 g or less (described in statistical reporting number 8481.30.9000)	3/20/2019
8481.30.9000	Product Specific	Check valves, of plastics (described in statistical reporting number 8481.30.9000)	3/20/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8481.90.9040	Product Specific	Angle cock handle assemblies, of iron and steel, each measuring 11.43 cm by 21.59 cm by 5.08 cm and weighing 0.748 kg (described in statistical reporting number 8481.90.9040)	12/28/2018
8481.90.9040	Product Specific	Pipe brackets of aluminum, each with 4 ports, the foregoing measuring 27.9 cm x 20.3 cm x 17.8 cm and weighing 11.34 kg, designed for installation into air brake control valves (described in statistical reporting number 8481.90.9040)	4/18/2019
8481.90.9040	Product Specific	Push pins and C-poles of steel, designed for use in variable force solenoid valves (described in statistical reporting number 8481.90.9040)	4/18/2019
8481.90.9040	Product Specific	Armatures designed for use in hydraulic solenoid valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	C-poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	Housings designed for hydraulic ball valves, of cast iron or steel, each measuring 5.7 cm by 3.2 cm and weighing 0.528 kg (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	Metering spools, of aluminum, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	Metering spools, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	Poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	Push pins, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9040	Product Specific	Retainers, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/9/2019
8481.90.9060	Product Specific	Bodies of pressure-reducing valves other than hand-operated or check valves and valves classified in 8481.20, such bodies of brass (described in statistical reporting number 8481.90.9060)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8481.90.9060	Product Specific	Bodies of valves other than hand-operated or check valves and valves classified in 8481.20, such bodies measuring over 18 cm but not exceeding 19 cm in length, valued over \$55 but not over \$65 per unit (described in statistical reporting number 8481.90.9060)	7/8/2019
8482.10.5016	Product Specific	Flanged wheel hub bearing units with ball bearings, each having an inner diameter exceeding 2.2 cm but not exceeding 2.8 cm (described in statistical reporting number 8482.10.5016)	7/8/2019
8482.10.5024	Product Specific	Wheel hub angular contact bearing units, not flanged, valued over \$2 but not over \$10 per unit (described in statistical reporting number 8482.10.5024)	7/8/2019
8482.10.5032	Product Specific	Ball bearings of a width not exceeding 30 mm (described in statistical reporting number 8482.10.5032)	4/18/2019
8482.10.5044	Entire Subheading	Radial bearings, single row, having an outside diameter of 9mm and over but not over 30mm	12/28/2018
8482.10.5048	Entire Subheading	Radial bearings, single row, having an outside diameter of over 30 mm but not over 52 mm	12/28/2018
8482.10.5052	Entire Subheading	Radial bearings, single row, having an outside diameter of over 52 mm but not over 100 mm	12/28/2018
8482.10.5060	Product Specific	Double row ball bearings having an inner diameter exceeding 15 mm but not exceeding 32 mm, an outer diameter exceeding 38 mm but not exceeding 64 mm and a width exceeding 15 mm but not exceeding 29 mm (described in statistical reporting number 8482.10.5060)	6/4/2019
8482.40.0000	Product Specific	Needle roller bearings of a width not exceeding 30 mm (described in statistical reporting number 8482.40.0000)	6/4/2019
8482.99.0500	Product Specific	Outer bearing rings (described in statistical reporting number 8482.99.0500)	6/4/2019
8482.99.0500	Product Specific	Inner bearing rings (described in statistical reporting number 8482.99.0500)	7/8/2019
8482.99.6595	Product Specific	Bearing shields (described in statistical reporting number 8482.99.6595)	6/4/2019
8483.40.9000	Product Specific	Non-toothed gears for office printers, each valued not over \$7 (described in statistical reporting number 8483.40.9000)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8483.50.9040	Entire Subheading	Grooved Pulleys, Others	5/9/2019
8483.50.9080	Product Specific	Non-grooved pulleys, each incorporating a deep groove roller bearing (described in statistical reporting number 8483.50.9080)	7/8/2019
8483.50.9080	Product Specific	Non-grooved pulleys, zinc plated, each valued not over \$3 (described in statistical reporting number 8483.50.9080)	7/8/2019
8483.90.8010	Product Specific	Coupling covers, including center members, flanged hubs, sleeves and shoes (described in statistical reporting number 8483.90.8010)	6/4/2019
8483.90.8080	Product Specific	Hubs for conveyor pulleys with an outside diameter of more than 5 cm but not more than 56 cm (described in statistical reporting number 8483.90.8080)	7/8/2019
8487.90.0080	Product Specific	Handles for machinery (described in statistical reporting number 8487.90.0080)	7/8/2019
8501.10.4020	Product Specific	Electric motors, AC, permanent split capacitor type, each in a housing with outside diameter of 84 mm or less, with output of 6 W or more but not exceeding 16 W (described in statistical reporting number 8501.10.4020)	3/20/2019
8501.10.4060	Product Specific	DC electric motors, of an output of less than 18.65 W, valued over \$4, other than brushless (described in statistical reporting number 8501.10.4060)	5/9/2019
8501.10.4060	Product Specific	Electric motors of a width exceeding 7.5 cm but not exceeding 7.8 cm (described in statistical reporting number 8501.10.4060)	7/8/2019
8501.31.2000	Product Specific	DC motors, each valued over \$125, with attached stranded copper cord (described in statistical reporting number 8501.31.2000)	7/8/2019
8501.31.5000	Product Specific	DC motors rated at 739.6 W, each with a housing with external diameter of 85 mm or more but not exceeding 90 mm and weight of 257 g or less (described in statistical reporting number 8501.31.5000)	3/20/2019
8501.52.8040	Product Specific	AC electric motors, multi-phase, of an output exceeding 14.92 kW but not exceeding 75 kW, other than for use in civil aircraft (described in statistical reporting number 8501.52.8040)	5/9/2019
8501.53.4080	Product Specific	AC motors, multi-phase, each of an output exceeding 75 kW but less than 149.2 kW (described in statistical reporting number 8501.53.4080)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8501.53.8040	Product Specific	AC multi-phase motors, each of an output exceeding 300 kW but not exceeding 310 kW, fitted with pulleys and brakes to raise and lower passenger elevators (described in statistical reporting number 8501.53.8040)	6/4/2019
8501.62.0000	Product Specific	AC generators, each weighing over 250 kg but not more than 1 metric ton and valued not over \$2,400 (described in statistical reporting number 8501.62.0000)	7/8/2019
8504.32.0000	Product Specific	Electrical transformers, each with a power handling capacity rating of 1.8 kVA, with external dimensions measuring approximately 13.3 cm by 12.7 cm by 11.4 cm (described in statistical reporting number 8504.32.0000)	3/20/2019
8504.33.0020	Product Specific	Transformers designed to control horizontal motion of electron beams in cathode-ray tubes (described in statistical reporting number 8504.33.0020)	7/8/2019
8504.40.0000	Product Specific	Speed drive controllers for electric motors, the foregoing operating at 250 A or more but not over 500 A (described in statistical reporting number 8504.40.0000)	6/4/2019
8504.40.4000	Product Specific	Regenerative speed drive controllers for controlling speed of electric motors for elevators (described in statistical reporting number 8504.40.4000)	6/4/2019
8504.40.4000	Product Specific	Variable frequency drive controllers for electric motors, each weighing more than 1 kg but not more than 11 kg (described in statistical reporting number 8504.40.4000)	6/4/2019
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, each measuring 4 cm to 6 cm in width and 10 cm to 12 cm in length, that converts 36 V DC to 90 V AC (described in statistical reporting number 8504.90.6500)	6/4/2019
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, each measuring 7 cm to 9 cm in width and 18 cm to 20 cm in length, having 2 switches, for power protection to prevent electrical back feeding (described in statistical reporting number 8504.90.6500)	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, the foregoing serving as controllers for power supplies, each measuring 5 cm to 7 cm in width and 11 cm to 14 cm in length, having 50 pin on side header (described in statistical reporting number 8504.90.6500)	6/4/2019
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, the foregoing serving as noise filters, each measuring 18 cm to 20 cm in width and 25 cm to 27 cm in length, populated with semiconductor devices and 4 heat sinks (described in statistical reporting number 8504.90.6500)	6/4/2019
8504.90.9650	Product Specific	Static converter covers, bases and housings (described in statistical reporting number 8504.90.9650)	7/8/2019
8504.90.9690	Product Specific	Inductor baseplates of aluminum, each with a length measuring 149.20 mm or more but not over 275 mm, with a width measuring 119.40 mm or more but not over 232 mm and with a depth of 10.50 mm or more but not over 19 mm, with a weight of 0.48 kg or more but not over 3.2 kg (described in statistical reporting number 8504.90.9690)	4/18/2019
8505.90.7501	Product Specific	Coils, coil assemblies and other parts of electromagnets (the foregoing described in statistical reporting number 8505.90.7501)	5/9/2019
8514.90.8000	Product Specific	Furnace casings (described in statistical reporting number 8514.90.8000)	7/8/2019
8514.90.8000	Product Specific	Structural components for industrial furnaces (described in statistical reporting number 8514.90.8000)	7/8/2019
8515.11.0000	Product Specific	Battery powered soldering irons or soldering guns, not over 18 cm in length (described in statistical reporting number 8515.11.0000)	3/20/2019
8515.19.0000	Product Specific	Manually operated rework stations, including soldering/desoldering stations (described in statistical reporting number 8515.19.0000)	7/8/2019
8515.90.4000	Product Specific	Parts of soldering irons and soldering machines (described in statistical reporting number 8515.90.4000)	4/18/2019
8515.39.0020	Product Specific	Machines and apparatus for arc (including plasma arc) welding, each valued not over \$500 (described in statistical reporting number 8515.39.0020)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8525.60.1010	Entire Subheading	Radio transceivers, citizens band (cb) type	12/28/2018
8525.60.1030	Product Specific	Hand-held transceivers (except Citizen's Band and except low-power radiotelephonic operating on frequencies from 49.82 MHz to 49.90 MHz), valued not over \$70 each (described in statistical reporting number 8525.60.1030)	7/8/2019
8525.60.1050	Product Specific	Radio transceivers operating on frequencies from 46 MHz to 468 MHz, each designed for installation in motor vehicles (described in statistical reporting number 8525.60.1050)	6/4/2019
8526.92.5000	Product Specific	Radio remote control apparatus for garage doors (described in statistical reporting number 8526.92.5000)	5/9/2019
8526.92.5000	Product Specific	Radio remote control apparatus for pet collars and pet food dispensers (described in statistical reporting number 8526.92.5000)	5/9/2019
8526.92.5000	Product Specific	Remote control devices, hand held and battery powered, designed for use with toy model vehicles and aircraft (described in statistical reporting number 8526.92.5000)	5/9/2019
8529.10.4040	Product Specific	Antennas, of base metal and fiberglass (described in statistical reporting number 8529.10.4040)	6/4/2019
8529.90.8100	Product Specific	Bezels, covers and housings, the foregoing designed for motor vehicle cameras (described in statistical reporting number 8529.90.8100)	5/9/2019
8529.90.9900	Product Specific	Projector parts (described in statistical reporting number 8529.90.9900)	6/4/2019
8532.10.0000	Product Specific	Fixed capacitors valued not over \$4 per unit (described in statistical reporting number 8532.10.0000)	7/8/2019
8532.10.0000	Product Specific	Fixed oil-filled capacitors rated at 1 kV to 25 kV (described in statistical reporting number 8532.10.0000)	7/8/2019
8532.21.0050	Product Specific	Tantalum capacitors having a conductive polymer cathode, valued not over \$4 per unit (described in statistical reporting number 8532.21.0050)	7/8/2019
8532.21.0050	Product Specific	Tantalum capacitors, each measuring 7.3 mm by 4.3 mm by 1.9 mm and valued not over \$4 (described in statistical reporting number 8532.21.0050)	7/8/2019
8532.22.0085	Product Specific	Aluminum electrolytic capacitors, each valued not over \$2.50 (described in statistical reporting number 8532.22.0085)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8536.41.0045	Product Specific	Contactors, for a voltage not exceeding 60 V and with contacts rated at or more than 10 A, each valued not over \$18 (described in statistical reporting number 8536.41.0045)	7/8/2019
8536.41.0050	Product Specific	Electromechanical relays, for a voltage not exceeding 24 V, other than automotive flashers, with contacts rated at 10 A or more, measuring not over 80 mm in any dimension (described in statistical reporting number 8536.41.0050)	6/4/2019
8536.49.0075	Product Specific	Electromechanical relays, for a voltage exceeding 60 V but not over 250 V, with contacts rated at 10 A or more (described in statistical reporting number 8536.49.0075)	5/9/2019
8536.50.9025	Product Specific	Rotary switches, rated at over 5 A, measuring not more than 5.5 cm by 5.0 cm by 3.4 cm, each with 2 to 8 spade terminals and an actuator shaft with D- shaped cross section (described in statistical reporting number 8536.50.9025)	7/8/2019
8536.50.9025	Product Specific	Rotary switches, single pole, single throw (SPST), rated at over 5 A, each measuring not more than 14.6 cm by 8.9 cm by 14.1 cm (described in statistical reporting number 8536.50.9025)	7/8/2019
8536.50.9031	Product Specific	Momentary contact switches rated at or under 5 A, each designed for use as a motor vehicle overdrive switch (described in statistical reporting number 8536.50.9031)	7/8/2019
8536.50.9031	Product Specific	Momentary contact switches rated at or under 5 A, valued not over \$4 per unit (described in statistical reporting number 8536.50.9031)	7/8/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 2.9 cm by 2.9 cm by 2.9 cm, with 4 spade or brass terminals, with an actuator shaft with D-shaped cross section (described in statistical reporting number 8536.50.9035)	5/9/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 4.8 cm by 2.8 cm by 2.8 cm, with 2 spade or brass terminals (described in statistical reporting number 8536.50.9035)	5/9/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 5 cm by 1.7 cm by 1.9 cm, with 2 spade or brass terminals, with an actuator shaft with Dshaped cross section (described in statistical reporting number 8536.50.9035)	5/9/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 14.4 cm by 11.6 cm by 6.4 cm (described in statistical reporting number 8536.50.9035)	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 14.6 cm by 8 cm by 14.1 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 19.1 cm by 8.3 cm by 14.1 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 19.7 cm by 11.8 cm by 8.3 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 19.7 cm by 9.8 cm by 16.5 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 21 cm by 13.3 cm by 9 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 23.5 cm by 8cm by 13.1 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 6 cm by 14.1 cm by 11 cm (described in statistical reporting number 8536.50.9035)	6/4/2019
8536.50.9040	Product Specific	Snap-action switches, each designed for installation in a wall-mounted enclosure or electrical box (described in statistical reporting number 8536.50.9040)	5/9/2019
8536.50.9065	Product Specific	Motor vehicle gear shift switch assemblies, comprised of a plunger, connector and gear shift lever (described in statistical reporting number 8536.50.9065)	4/18/2019
8536.50.9065	Product Specific	Pressure switches designed for use in heat pumps and air-conditioning condensers having a rating of 1.90 megapascals or more but not over 4.55 megapascals (described in statistical reporting number 8536.50.9065)	4/18/2019
8536.50.9065	Product Specific	Push-pull switches, for a voltage not exceeding 1,000 V, designed for use in motor vehicles (described in statistical reporting number 8536.50.9065)	6/4/2019
8536.50.9065	Product Specific	Rocker switches, for a voltage not exceeding 1,000 V, designed for use in motor vehicles (described in statistical reporting number 8536.50.9065)	7/8/2019
8536.90.4000	Product Specific	Spring clip ("alligator clip") terminals, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8536.90.4000	Product Specific	Bullet connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Butt connectors, other than closed end, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Closed-end butt connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Crimp connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Insulated tab electrical connectors and tab receptacle electrical connectors, for a voltage not exceeding 1,000 V, crimp-type, with either a tab measuring not over 6.4 mm in width or a receptacle for tabs measuring not over 6.4 mm in width (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Junction blocks, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Lug connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Ring connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Spade connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Terminal blocks, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8536.90.4000	Product Specific	Wire tap connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019
8537.10.8000	Entire Subheading	Other Touch Screens W/o Disp Cap, For Inc Into App Having Disp, Wfunc By Dete Pres & loc Of Touch In Disp Area For Voltage Not Exceeding 1000v	6/4/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
8538.90.6000	Product Specific	Knobs of injection molded plastics (described in statistical reporting number 8538.90.6000)	3/20/2019
8538.90.6000	Product Specific	Molded buttons (described in statistical reporting number 8538.90.6000)	7/8/2019
8538.90.6000	Product Specific	Molded housings and covers (described in statistical reporting number 8538.90.6000)	7/8/2019
8538.90.8120	Product Specific	Tanks for dead tank circuit breakers, of aluminum (described in statistical reporting number 8538.90.8120)	7/8/2019
8539.90.0000	Product Specific	Molybdenum foil filament assemblies, designed for use in ultraviolet lamps (described in statistical reporting number 8539.90.0000)	3/20/2019
8543.30.9040	Product Specific	Magnesium anodes, each not exceeding 48 kg in weight (described in statistical reporting number 8543.30.9040)	6/4/2019
8543.30.9080	Product Specific	Aluminum anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	7/8/2019
8543.30.9080	Product Specific	Chlorine generator chambers containing titanium plates for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	7/8/2019
8543.30.9080	Product Specific	Zinc anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	7/8/2019
8607.21.1000	Entire Subheading	Air brakes and parts thereof for railway or tramway vehicles of heading 8605 or 8606	3/20/2019
9011.10.8000	Product Specific	Stereoscopic microscopes, not provided with a means for photographing the image, valued not over \$500 per unit (described in statistical reporting number 9011.10.8000)	5/9/2019
9011.90.0000	Product Specific	Adapter rings, tubes and extension sleeves, stands and arm assemblies, stages and gliding tables, eyeguards and focusing racks, all the foregoing designed for use with compound optical microscopes (described in statistical reporting number 9011.90.0000)	5/9/2019
9013.80.7000	Product Specific	Thin-film-transistor, light-emitting diode (LED) backlit flat panel liquid crystal display modules, each with an aluminum bezel and a video display diagonal measuring 113 mm or more but not over 339 mm (described in statistical reporting number 9013.80.7000)	3/20/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
9014.80.2000	Product Specific	Depth-sounding apparatus with digital display, each designed for installation in a 63.5 mm hole in dashboard, designed for recreational boating use (described in statistical reporting number 9014.80.2000)	3/20/2019
9015.80.8080	Product Specific	Weather station sets, each consisting of a monitoring display and outdoor weather sensors, having a transmission range of not over 140 m and valued not over \$50 per set (described in statistical reporting number 9015.80.8080)	7/8/2019
9018.12.0000	Product Specific	Veterinary ultrasound device with black-and-white image quality used as a medical diagnostic tool (described in statistical reporting number 9018.12.0000)	7/8/2019
9018.19.9560	Product Specific	Disposable self-adhesive brain monitoring sensor patches for use with an oximeter, each incorporating a circuit board, light-emitting diode (LED) , photo diodes and memory device and a connector (described in statistical reporting number 9018.19.9560)	6/4/2019
9018.19.9560	Product Specific	Disposable stainless steel subdermal needle electrodes with accompanying harness for use with electromyography (EMG) equipment (described in statistical reporting number 9018.19.9560)	6/4/2019
9018.19.9560	Product Specific	Disposable surface electrodes for intra-operative neuromonitoring (“IONM”) systems, each composed of a surface electrode pad, an insulated wire, and a standard DIN 42802 connector (described in statistical reporting number 9018.19.9560)	6/4/2019
9018.20.0040	Product Specific	Ultraviolet or infrared LED light therapy devices for the professional treatment of pain or of ailments of the skin (described in statistical reporting number 9018.20.0040)	5/9/2019
9018.90.6000	Product Specific	Microwave ablation antennas, whether or not with attached controls, as parts of ablation systems used to ablate live tumors (described in statistical reporting number 9018.90.6000)	7/8/2019
9018.90.6000	Product Specific	Parts and accessories of electro-surgical instruments and appliances, other than extracorporeal shock wave lithotripters (described in statistical reporting number 9018.90.6000)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
9018.90.6000	Product Specific	Smoke evacuation pencils with accompanying tubing and hoses designed to integrate smoke evacuation into electrosurgery by combining both features into a single handpiece, which is designed to apply mono-polar electrosurgical energy to target tissue in a surgical setting while simultaneously evacuating smoke from the surgical site (described in statistical reporting number 9018.90.6000)	7/8/2019
9018.90.6000	Product Specific	Suction coagulators, consisting of a hand-piece with mechanical and/or electrical controls and a disposable shaft, used for the coagulation of tissue and aspiration of fluids during surgical procedures (described in statistical reporting number 9018.90.6000)	7/8/2019
9018.90.6000	Product Specific	Vessel sealing and dividing devices that use electrical energy to separate and seal tissue during open or laparoscopic surgical procedures, consisting of a handpiece with mechanical and/or electrical controls, and a bipolar electrode intended to deliver electrosurgical current from a system generator directly to tissues for cutting/coagulation/ablation (described in statistical reporting number 9018.90.6000)	7/8/2019
9018.90.7580	Product Specific	Restraint packs designed for use with chest compressors, each containing one torso restraint, consisting of a cotton strap which fastens with hook and loop fasteners to the compressor, and one cover for a head stabilizer (described in statistical reporting number 9018.90.7580)	3/20/2019
9022.14.0000	Product Specific	Radiation therapy systems, each encased by steel-based structural shell with gantry cover comprising three pairs of plastics-based panels (described in statistical reporting number 9022.14.0000)	12/28/2018
9022.90.6000	Product Specific	Dental X-ray alignment and positioning apparatus, each valued over \$5,000 (described in statistical reporting number 9022.90.6000)	7/8/2019
9022.90.6000	Product Specific	Multi-leaf collimators of radiotherapy systems based on the use of X-ray (described in statistical reporting number 9022.90.6000)	7/8/2019
9022.90.6000	Product Specific	Overhead tube suspension used to hold and position X-ray generating equipment (described in statistical reporting number 9022.90.6000)	7/8/2019

Exclusion Requests Granted from U.S. 301 List 1 (\$34 billion)

HTS	Type	Product	Date Granted
9024.10.0000	Product Specific	Machines for testing the hardness of metals (described in statistical reporting number 9024.10.0000)	6/4/2019
9027.80.4530	Product Specific	Instruments and apparatus that chemically analyze food to detect the presence of gluten or peanuts, valued at less than \$55 per unit (described in statistical reporting number 9027.80.4530)	7/8/2019
9027.90.5650	Product Specific	Inoculator sets of plastics, each consisting of a plate with multiple wells, a display tray, and a lid; when assembled, the set measuring 105 mm or more but not exceeding 108 mm in width, 138 mm or more but not exceeding 140 mm in depth, and 6.5 mm or less in thickness (described in statistical reporting number 9027.90.5650)	3/20/2019
9030.33.3800	Product Specific	Instruments for measuring or checking voltage or electrical connections; electrical circuit tracers (described in statistical reporting number 9030.33.3800)	4/18/2019
9030.39.0100	Product Specific	Picoammeters with recording devices (described in statistical reporting number 9030.39.0100)	7/8/2019
9031.80.8085	Product Specific	Tuners designed to clip onto musical instruments and indicate whether the instrument is in tune (described in statistical reporting number 9031.80.8085)	3/20/2019
9032.10.0030	Product Specific	Thermostats designed for air conditioning or heating systems, not designed to connect to the internet, the foregoing designed for wall mounting (described in statistical reporting number 9032.10.0030)	12/28/2018
9032.89.6070	Product Specific	Humidistats, each with outdoor sensor, such humidistats valued not over \$40 each (described in statistical reporting number 9032.89.6070)	7/8/2019