

Exclusion Requests Granted from U.S. 301 List 2 (\$16 billion)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 3901.90.1000 | Product Specific | Chlorinated polyethylene elastomer, in white or pale yellow powder form, containing 28 to 44 percent by weight of chlorine | 7/31/2019 |
| 3904.61.0090 | Product Specific | Polytetrafluoroethylene ((C2F4)n), having a particle size of 5 to 500 microns and a melting point of 315 to 329 degrees Celsius | 7/31/2019 |
| 3906.90.2000 | Product Specific | Expandable plastics beads, 0.30 to 0.50 mm in diameter, consisting of copolymers of methylmethacrylate (62 to 64 percent by weight) and styrene 7 (26 to 28 percent by weight) | 7/31/2019 |
| 3907.20.0000 | Product Specific | Polyol blends containing 92 percent or more by weight of polyether polyol (CAS number 9049-71-2) and 2.5% or more by weight of N,Ndimethylcyclohexamine | 7/31/2019 |
| 3919.90.5060 | Product Specific | Hot melt flat shapes of biaxiallyoriented polypropylene (BOPP) film with an acrylic emulsion | 7/31/2019 |
| 3919.90.5060 | Product Specific | Polyethylene film, 20.32 to 198.12 cm in width, and 30.5 to 2000.5 m in length, coated on one side with solvent acrylic adhesive, clear or in transparent colors, whether or not printed, in rolls | 7/31/2019 |
| 3919.90.5060 | Product Specific | Polyvinyl chloride film, coated on one side with pressure sensitive solventacrylic adhesive that allows for easy removal from a flat glass or flat, rigid, clear plastics surface, 106.7 cm, 137.2 cm or 152.4 cm in width, and 30.38 m or 49.99 m in length, with regular perforations measuring 1.5 to 1.6 mm in diameter, where the perforations cover 30, 40 or 50 percent of the surface area | 7/31/2019 |
| 3919.90.5060 | Product Specific | Printed rectangular polyethylene sheets depicting images on one side, with self-adhesive edges protected with peel-off liners on the other side, measuring 30.5 cm by 45.7 cm or 30.5 cm by 25.4 cm | 7/31/2019 |
| 3919.90.5060 | Product Specific | Self-adhesive colored or printed polyvinyl chloride film with a peelable liner, in rolls, measuring 30.5 cm or 50.8 cm in width and 3.05 m to 6.10 m in length, of a kind used for lining shelves or drawers | 7/31/2019 |

Exclusion Requests Granted from U.S. 301 List 2 (\$16 billion)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 3920.10.0000 | Product Specific | Printed, nonpermeable plastic film of ethylene designed for use in packaging personal care products such as baby wipes, adult wipes and similar wet stack products | 7/31/2019 |
| 3920.10.0000 | Product Specific | Polyethylene film of a kind used for wrapping perishable foods, in rolls measuring 30.5 cm in width and up to 76.2 m in length, with a starter edge tab, put up in retail packages incorporating a built-in slide cutter and grip strip for holding the film in place until subsequent use | 7/31/2019 |
| 3920.10.0000 | Product Specific | Rectangular sheets of high-density or low-density polyethylene, 111.75 cm to 215.9 cm in width, and 152.4 cm to 304.8 cm in length, with a sticker attached to mark the center of each sheet, of a kind used in hospital or surgery center operating rooms | 7/31/2019 |
| 8407.90.1020 | Product Specific | Spark-ignition rotary or reciprocating internal combustion piston engines to be installed in agricultural or horticultural machinery or equipment, 4,476 W or more but not more than 37.6 kW, each valued not over \$180 | 7/31/2019 |
| 8407.90.9010 | Product Specific | Gasoline or liquid propane (LP) engines each having a displacement of more than 2 liters but not more than 2.5 liters | 7/31/2019 |
| 8407.90.9040 | Product Specific | Spark-ignition internal combustion piston engines, not elsewhere specified or included, 746 W or greater but not exceeding 4,476 W, with an engine displacement of not more than 430 cc | 7/31/2019 |
| 8419.89.9585 | Product Specific | Heat guns | 7/31/2019 |
| 8419.89.9585 | Product Specific | Heated tissue preparation microscope slide flattening tables | 7/31/2019 |
| 8419.89.9585 | Product Specific | Tissue sample paraffin floatation baths | 7/31/2019 |
| 8424.89.9000 | Product Specific | Air amplifiers powered solely by an external source of compressed air, which is routed through the apparatus in such a manner as to draw in ambient air, increase its speed and direct the air through an output port, each such apparatus not exceeding 1 kg in weight | 7/31/2019 |
| 8424.89.9000 | Product Specific | Apparatus capable of generating and projecting liquid particles of a size that simulates haze, fog or snow (depending on the composition of the liquid or powdered source), whether or not incorporating laser or other lighting apparatus | 7/31/2019 |

Exclusion Requests Granted from U.S. 301 List 2 (\$16 billion)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8424.89.9000 | Product Specific | Apparatus capable of mechanically generating and projecting bubbles from a liquid source, each apparatus weighing more than 2.5 kg but not more than 6.5 kg | 7/31/2019 |
| 8424.89.9000 | Product Specific | Aroma-spraying sets, each of which includes a battery-powered aerosol apparatus and a glass bottle containing not more than 25 ml of essential oil solution, each set weighing not more than 300 g | 7/31/2019 |
| 8424.89.9000 | Product Specific | Collars of a size suitable for dogs or cats, fitted with a means to provide a stimulus to the animal, by means of a sprayer, whether or not combined with a static electric discharge device or sound emitter; and such collars capable of being controlled by an external transmission device, whether or not the controller is presented with the collar as a set | 7/31/2019 |
| 8424.89.9000 | Product Specific | Dispensers of hand-cleaning or hand-sanitizing solutions, whether employing a manual pump or a proximity-detecting battery-operated pump, each article weighing not more than 3 kg | 7/31/2019 |
| 8424.89.9000 | Product Specific | Oral irrigators (dental water-jet machines) | 7/31/2019 |
| 8424.89.9000 | Product Specific | Parts washers, each consisting of a steel basin having a capacity no greater than 100 liters, steel drain plug, support legs and a shelf, a recirculating centrifugal pump assembly, a power cord incorporating an electrical fusible link, a gooseneck spigot assembly, with a steel lid held by a "piano-type" hinge and by a lid support bracket incorporating a mechanical fusible link | 7/31/2019 |
| 8424.89.9000 | Product Specific | Rotary surface washers, consisting of a tube, at one end of which is a fitting suitable for connection to an external power washer and a handle for controlling the position of the apparatus, and at the other end of which is an assembly of one or more rotating brushes that receive the output of the external power washer | 7/31/2019 |
| 8424.89.9000 | Product Specific | Wet- and dry-diffusion apparatus fitted for incorporation into scent-releasing machines | 7/31/2019 |
| 8432.29.0060 | Product Specific | Walk behind rotary tillers, electric powered, individually weighing less than 14 kg | 7/31/2019 |
| 8432.42.0000 | Product Specific | Fertilizer distributors with a capacity not exceeding 40 kg | 7/31/2019 |
| 8465.95.0055 | Product Specific | Benchtop drill presses, each with a power rating of less than 750 watts and valued under \$1,000 each | 7/31/2019 |

Exclusion Requests Granted from U.S. 301 List 2 (\$16 billion)

| HTS | Type | Product | Date Granted |
|--------------|------------------|---|--------------|
| 8483.30.8020 | Product Specific | Bearing housings each valued over \$2000 | 7/31/2019 |
| 8501.10.6020 | Product Specific | AC motors, of 18.65W or more but not exceeding 37.5 W, each with attached actuators, crankshafts or gears | 7/31/2019 |
| 8501.10.6020 | Product Specific | C-frame 2-pole AC electric motors, of 18.65W or more but not exceeding 37.5 W, each valued not over \$4 | 7/31/2019 |
| 8501.10.6080 | Product Specific | Electric motors, of 18.65W or more but not exceeding 37.5 W, each valued over \$28 but not over | 7/31/2019 |
| 8501.31.8010 | Product Specific | Amorphous silicon solar chargers with a power output of 100 W or less | 7/31/2019 |
| 8501.52.4000 | Product Specific | Electric motors, each with an output rating not exceeding 800 | 7/31/2019 |
| 8503.00.9520 | Product Specific | Armature shafts for electric motors of heading 8501 | 7/31/2019 |
| 8503.00.9520 | Product Specific | Windshield wiper motor covers and shafts | 7/31/2019 |
| 8536.30.8000 | Product Specific | Leakage current detection and interruption (LCDI) cords | 7/31/2019 |
| 8537.10.3000 | Product Specific | Control boards for stoves, ranges and ovens of heading 8516 | 7/31/2019 |
| 8541.10.0050 | Product Specific | Zener diodes, each valued not over \$0.25 | 7/31/2019 |
| 8543.70.4500 | Product Specific | Position or speed sensors for motor vehicle transmission systems, each valued not over \$12 | 7/31/2019 |
| 8543.70.4500 | Product Specific | Wheel speed sensors for anti-lock motor vehicle braking systems, each valued not over \$12 | 7/31/2019 |
| 8543.70.9960 | Product Specific | Antenna amplifiers, each valued not over \$15 | 7/31/2019 |
| 8543.70.9960 | Product Specific | Antenna noise suppressors, each valued not over \$5 | 7/31/2019 |
| 8543.70.9960 | Product Specific | Apparatus using passive infrared detection sensors designed for turning lights on and off | 7/31/2019 |
| 8543.70.9960 | Product Specific | Audio controllers, each valued not over \$100 | 7/31/2019 |
| 8543.70.9960 | Product Specific | Audio mixers, each valued not over \$75 | 7/31/2019 |
| 8543.70.9960 | Product Specific | Devices incorporating sensors and monitors for identifying encoded television and radio signal information of survey participants | 7/31/2019 |
| 8543.70.9960 | Product Specific | Electrically powered cat noise control devices | 7/31/2019 |
| 8543.70.9960 | Product Specific | Electrically powered combs of a kind used on pets | 7/31/2019 |

Exclusion Requests Granted from U.S. 301 List 2 (\$16 billion)

| HTS | Type | Product | Date Granted |
|--------------|------------------|--|--------------|
| 8543.70.9960 | Product Specific | Electrically powered dog training, controlling, repelling or locating apparatus whether or not put up in kits, including dog collars fitted with GPS or other transmitting or receiving devices and electrical barrier transmitter devices | 7/31/2019 |
| 8543.70.9960 | Product Specific | Electrically powered insect control apparatus | 7/31/2019 |
| 8543.70.9960 | Product Specific | Electrically powered static-emitting plastic strips designed for use in training or controlling pets | 7/31/2019 |
| 8543.70.9960 | Product Specific | LED lamps for flash curing nail polish | 7/31/2019 |
| 8543.70.9960 | Product Specific | Liquid leak detectors | 7/31/2019 |
| 8543.70.9960 | Product Specific | Multiple device remote controls, other than radio remote control, each valued not over \$2 | 7/31/2019 |
| 8543.70.9960 | Product Specific | Robots, programmable, measuring not more than 40 cm high by 22 cm wide by 27 cm deep, incorporating an LCD display, camera and microphone but without "hands" | 7/31/2019 |
| 8607.30.1000 | Product Specific | Couplers, knuckles and yokes and parts thereof for vehicles of heading 8605 or 8606 | 7/31/2019 |
| 8711.10.0000 | Product Specific | Motorcycles (including mopeds), with reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cc, valued not over \$500 each | 7/31/2019 |
| 9001.20.0000 | Product Specific | Polarizing film, of triacetate, with a pressure sensitive adhesive backing | 7/31/2019 |
| 9025.19.8040 | Product Specific | Digital clinical thermometers, valued not over \$11 each | 7/31/2019 |
| 9025.19.8080 | Product Specific | Cooking thermometers, including candy and deep-fry thermometers | 7/31/2019 |
| 9025.19.8080 | Product Specific | Infrared thermometers | 7/31/2019 |
| 9025.80.1000 | Product Specific | Combined thermometer and hygrometer devices | 7/31/2019 |
| 9028.10.0000 | Product Specific | Pulse output gas meters of a kind that can be read remotely | 7/31/2019 |
| 9028.20.0000 | Product Specific | Pulse output water meters, of cast stainless steel | 7/31/2019 |
| 9029.20.4080 | Product Specific | Fingertip pulse oximeters | 7/31/2019 |